

Refine Search

Search Results

| Terms | Documents |
|---|-----------|
| (L19) and (aqueous or solution\$ or liquid\$) | 64 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US Patents OCR Backfile
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index

Search Type: Prior Art Interference**Search:**

L20

Search History

DATE: Wednesday, October 26, 2011 [Purge Queries](#) [Printable Copy](#) [Create Case](#)**Set****Name** Query

| Hit Count | Name | Set | Name | Set |
|-----------|------|-----|--------|------|
| | | | Result | Grid |
| | | | Set | |

Side

by

Side

*Prior Art Searches**DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ*

| | | | | |
|------------|---|-------|------------|------------|
| <u>L20</u> | (L19) and (aqueous or solution\$ or liquid\$) | 64 | <u>L20</u> | <u>L20</u> |
| <u>L19</u> | (L18) and (salt\$) and (buffer\$) | 64 | <u>L19</u> | <u>L19</u> |
| <u>L18</u> | (L17) and (erythropoietin or human erythropoietin or huEPO or rhuEPO or recombinant erythropoietin or recombinant EPO) | 66 | <u>L18</u> | <u>L18</u> |
| <u>L17</u> | L14 and L16 | 238 | <u>L17</u> | <u>L17</u> |
| <u>L16</u> | L6 and L15 | 5180 | <u>L16</u> | <u>L16</u> |
| <u>L15</u> | (formulation\$ or pharmaceutical\$ or therapeutic\$ or composition\$ or preparation\$ or solution\$) with (mannitol) | 75417 | <u>L15</u> | <u>L15</u> |
| <u>L14</u> | (polyhydric\$ or polyhydric alcohol or propylene glycol or polyethylene glycol or glycerol or polypropylene glycol or PEG\$) with (w/v or weight/vol\$ or wt/vol\$ or mass/vol\$) | 12936 | <u>L14</u> | <u>L14</u> |

| | | | | |
|------------|---|--------|------------|------------|
| <u>L13</u> | (L12) and (aqueous or solution\$ or liquid\$) | 21 | <u>L13</u> | <u>L13</u> |
| <u>L12</u> | (L11) and (salt\$) and (buffer\$) | 21 | <u>L12</u> | <u>L12</u> |
| <u>L11</u> | (L10) and (erythropoietin or human erythropoietin or huEPO or rhuEPO or recombinant erythropoietin or recombinant EPO) | 21 | <u>L11</u> | <u>L11</u> |
| <u>L10</u> | (L9) and (mannitol) | 128 | <u>L10</u> | <u>L10</u> |
| <u>L9</u> | L1 and L8 | 136 | <u>L9</u> | <u>L9</u> |
| <u>L8</u> | L5 and L6 | 8133 | <u>L8</u> | <u>L8</u> |
| <u>L7</u> | (formulation\$ or pharmaceutical\$ or therapeut\$ or composition\$ or preparation\$ or solution\$)with (neutral amino acid\$ or glycine or alanine or leucine or isoleucine) | 59586 | <u>L7</u> | <u>L7</u> |
| <u>L6</u> | (formulation\$ or pharmaceutical\$ or therapeut\$ or composition\$ or preparation\$ or solution\$) with (surfactant\$) and (formulation\$ or pharmaceutical\$ or therapeut\$ or composition\$ or preparation\$ or solution\$)with (neutral amino acid\$ or glycine or alanine or leucine or isoleucine) | 13591 | <u>L6</u> | <u>L6</u> |
| <u>L5</u> | (formulation\$ or pharmaceutical\$ or therapeut\$ or composition\$ or preparation\$ or solution\$) with (polyhydric alcohol or PEG or polyethylene glycol or propylene glycol or glycerol or polypropylene glycol) | 281727 | <u>L5</u> | <u>L5</u> |
| <u>L4</u> | (L3) and (erythropoietin or human erythropoietin or huEPO or rhuEPO or recombinant erythropoietin or recombinant EPO) | 337 | <u>L4</u> | <u>L4</u> |
| <u>L3</u> | (L2) and (polyhydric alcohol or PEG or polyethylene glycol or propylene glycol or glycerol or polypropylene glycol) | 1074 | <u>L3</u> | <u>L3</u> |
| <u>L2</u> | (L1) and (surfactant\$) and (neutral amino acid\$ or glycine or alanine or leucine or isoleucine) and (salt\$) and (buffer\$) | 1117 | <u>L2</u> | <u>L2</u> |
| <u>L1</u> | (mannitol or sugar or sugar alcohol) with (w/v or weight/vol\$ or wt/vol\$ or mass/vol\$) | 3054 | <u>L1</u> | <u>L1</u> |

END OF SEARCH HISTORY